

Special Edition

Everest Wildtrak


2024MY



Ford

Boldly tackle your next adventure

Wildtrak DNA comes to Everest. Its bold, aggressive stance, combined with its sleek and spacious interior gives an off-road experience like no other.



Wildtrak front grille & bumper



Zone lighting¹



Signature Wildtrak badging



Panoramic roof and stand-off roof rails

Get off-road in style

Wildtrak has all the 4WD tech to help take your off-road experience further, with the space and comfort of a luxury SUV. The 360°² camera gives you a bird's eye top-down view of your surrounds, while the ambient lighting delivers a premium finish throughout.

Signature Wildtrak finish

Cyber Orange stitching with Wildtrak embossed seat logos highlight a premium interior.



Explore beyond the road's end

With an impressive 3.5 tonne towing³ capacity and a full-time 4WD drive train, the Wildtrak is an off-road beast that doesn't skimp on functionality.

The 3.0L V6⁴ engine is paired with the help of 6 drive modes² – Normal, Eco, Tow/Haul, Slippery, Mud/Ruts⁵ and Sand⁵ to help you conquer any terrain.



20-inch machine faced alloy wheels with all-season tyres, or optional 18-inch alloy wheels with all-terrain tyres,⁶ both with Tyre Pressure Monitoring System



Side-steps with finished steel inserts

Choose your colour



Luxe Yellow*

Shadow Black*

Aluminium*

Arctic White

Meteor Grey*

Sedona Orange*

*Prestige paint colours available at additional cost.

Issue Date: 21 August 2023

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 3673) or email foacustl@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com



Discover more at ford.com.au

Pre-production vehicle specifications and images shown. Specifications and features on production model may vary.

Disclaimers:

1. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance.
2. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations.
3. Maximum towing capacity-braked using a Genuine Ford tow pack (optional as part of a pack at additional cost). Subject to State and Territory regulations. To comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and / or refer to the Owner's Manual.
4. AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V.
5. Mud/Ruts & Sand modes intended for off-road use only.
6. Factory Option that can be ordered before a vehicle is manufactured at no additional cost.

Ford Everest | Special Edition Wildtrak 2024MY Specifications

	Wildtrak
	4WD
Engine	3.0L V6 Turbo Diesel ¹
Number of cylinders	6
Maximum Power	184kW @ 3250rpm
Maximum Torque	600Nm @ 1750 - 2250rpm
Transmissions	
10-speed automatic transmission	S
Driveline	
Full-time 4WD	S
Selectable Drive Modes ²	
- Normal	S
- Eco	S
- Tow / Haul	S
- Slippery	S
- Mud / Ruts ³	S
- Sand ⁴	S
Fuel	
Combined Fuel Economy (L/100km)(Auto) ⁵	8.5
CO ² Emissions (g/km)(Auto) ⁵	224
Fuel Tank Capacity (L)	80
Fuel Type	Diesel
Vehicle Masses (kg)	
Kerb Weight - Total (kg) ⁶	2488
Payload (based on Max Kerb Weight) (kg) ⁶	662
Gross Vehicle Mass (kg)	3150
Gross Combined Mass (kg)	6250
Maximum Front Axle Load	1470
Maximum Rear Axle Load	1770
Exterior Dimensions ⁷ (mm)	
Length - without tow receiver	4914
Length - with tow receiver	4978
Width - exterior mirrors extended	2207
Width - exterior mirrors folded	2015
Width - excluding mirrors	1923
Height - To top of antenna base	1837
Overhang - Front	871
Overhang - Rear	1143
Track - Front and Rear	1620
Wheelbase	2900

Indicative pre-production vehicle specifications shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

Exterior Dimensions ⁷ (mm) continued	
Ground Clearance (unladen, mm)	226
Wading Depth (mm)	800
Approach Angle (unladen, degrees)	30.2
Departure Angle (unladen, degrees)	25.0
Ramp Breakover Angle (degrees)	21.9
Turning Circle - Kerb to Kerb (m)	11.8
Interior Dimensions ⁷ (mm)	
Front Headroom	972
Front Legroom	1057
Front Shoulder Room	1450
2nd Row Headroom	953
2nd Row Legroom	912
2nd Row Shoulder Room	1443
3rd Row Headroom	923
3rd Row Legroom	806
3rd Row Shoulder Room	1328
Cargo Capacities (L)	
Cargo Volume behind First Row (2-seat mode) ⁸	1818
Cargo Volume behind Second Row (5-seat mode) ⁸	898
Cargo Volume behind Third Row (7-seat mode) ⁸	259
Chassis & Suspension	
Front and rear vented discs with electronic Brake Booster	S
Electrical Power Assisted Steering	S
Locking Rear Differential	S

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

1. AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. 2. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 3. Mud/Rut Mode intended for off-road use only. 4. Sand Mode intended for off-road use only. 5. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 6. Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Payload is calculated by deducting the vehicle's Kerb Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) are not exceeded. 7. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 8. Measured laden to roof, using VDA methodology.

Ford Everest | Special Edition Wildtrak 2024MY Specifications

Indicative pre-production vehicle specifications shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

Wheels	
20" Alloy All-Season Tyres	S
Spare Wheel - 20" Alloy	S
Exterior Lighting	
Headlamps - LED	S
Daytime Running Lamps - LED	S
Front Fog Lamps - LED	S
Taillamps - LED	S
Zone Lighting ⁹ .	S
Exterior	
Acoustic Laminated Windscreen	S
Body Colour Roof	S
Exterior Mirrors - Power Adjustable	S
Exterior Mirrors - Power Folding	S
Exterior Mirrors - Puddle Lamps	S
Front Recovery Hook	2
Liftgate - Hands free power	S
Liftgate - Power push button operated	S
Mud Flaps (Front and Rear)	S
Panoramic roof and power blind	S
Roof Rails - Chrome Stand off	S
Steel Underbody Protection	S
Side Steps	S
Interior, Seating and Door Trim	
2nd Row 60/40 split	S
3rd Row 50/50 split	S
7 seats	S
Leather Wrapped Steering Wheel	S
Steering Wheel Reach & Height Adjust	S
Electronic Parking Brake	S
e-Shifter	S
Seat Material - Leather Accented WILDTRAK embossed front seats (Excludes 3rd row)	S
Driver Seat - Heated & Ventilated	S
Driver Seat - 10-Way Power with memory setting	S
Front Passenger Seat - Heated & Ventilated	S
Front Passenger Seat - 8-Way Power	S
Child Seat Upper Anchorage Points	5
Child Seat ISOFIX Anchorage Points	2
Floor Mats - Driver & Front Passenger	S

Comfort and Convenience	
Ambient Lighting	S
Centre Console with Single Lid and 2 Cup Holders	S
Instrument Panel Cup Holders	S
Charging	
- Auxiliary 12V Power Outlet - Centre Console Bin	S
- Auxillary 12V Power Outlet - 3rd row	S
- Auxillary 12V Power Outlet - Rear Cargo	S
- USB Ports 1st row	3
- USB Ports 2nd row	2
- Wireless Charging ¹⁰ .	S
Climate Control - Dual-Zone	S
3rd Row Rear Air Vent Registers	S
Auto Headlamp on-off & Auto High Beam	S
Front Power Windows	S
Rear Power Windows	S
Rain Sensing Windscreen Wipers	S
Sunglasses holder overhead console	S
Sunvisor - Drive and Passenger with illuminated mirror	S
Electrochromatic Rear View Mirror	S

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:
9. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. **10.** Wireless Charging only available with compatible phones.

Ford Everest | Special Edition Wildtrak 2024MY Specifications

Audio And Communication		
Embedded Modem		S
FordPass Connect ¹¹ .		S
Colour Digital Instrument Cluster with Configurable Display - 8-inch		S
Colour Multi-Function Touch Screen Display - 12-inch		S
Speakers		10
Digital Audio (DAB+)		S
Bluetooth® with Phone / Audio Streaming ¹² .		S
Built-In Satellite Navigation with one year of Connected Navigation Services included ¹³ .		S
SYNC® 4A with Voice-Activated Controls ¹⁴ .		S
Steering Wheel Audio/Function Control		S
Wireless Apple CarPlay™ ¹⁵ & Android Auto™ ¹⁵ .		S
Safety and Security		
Perimeter Alarm System		S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag		S
3 Point Lap Sash Seat Belt - All Positions		S
Child Proof Rear Door Locks		S
Emergency Assistance ¹⁶ .		S
Power Door Locks		S
Smart Keyless Entry with Push Button Start		S
Driver Assistance ¹⁸ .		
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centering ¹⁷ .		S
Intelligent Speed Assist ¹⁸ .		S
Auto Headlamp & Auto High Beam		S
Blind Spot Monitoring with Cross Traffic Alert ¹⁹ .		S
Blind Spot Monitoring Trailer Coverage ¹⁹ .		P
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Hill Descent Control (4WD only), Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control ²⁰ .		S
Evasive Steer Assist ²¹ .		S
Lane Keeping Aid with Road Edge Detection and Driver Alert System ²² .		S
Post Impact Braking ¹⁸ .		S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) and Intersection Assist ²³ .		S
Reverse Brake Assist ²⁴ .		S
Parking Sensors - Front ¹⁸ .		S
Parking Sensors - Rear ¹⁸ .		S
Rear View Camera - Integrated Digital ¹⁸ .		S
360-Degree Camera ¹⁸ .		S
Traffic Sign Recognition ²⁵ .		S
Tyre Pressure Monitoring System		S

Indicative pre-production vehicle specifications shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

Towing	
Maximum Braked Towing Capacity (kg) ²⁶ .	3,500
Tow Bar with Integrated Trailer Brake Controller ²⁷ .	P
Tow Haul Mode (part of Selectable Drive Modes) ¹⁸ .	S
Factory Options	
18" Alloy Wheels with All-Terrain Tyres ²⁸ .	NCO
Prestige Paint ²⁹ .	O
Towing Pack ²⁹ - Tow Bar & Integrated Trailer Brake Controller ²⁷ Blind Spot Monitoring Trailer Coverage ¹⁸ .	O

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost
NCO = Factory Option that can be ordered before a vehicle is manufactured at no additional cost

Disclaimer:

11. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **12.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **13.** Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'. **14.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **15.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **16** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **17.** iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. ACC and Lane Centering has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby. The Stop and Go functionality of this system operates as low as 0km/hr in traffic jam situations. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. **18.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **19.** Trailer Coverage system supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. Factory Options can be ordered before a vehicle is manufactured at additional cost. **20.** Hill Descent Control on 4WD models only. **21.** Evasive Steer Assist does not control steering. See Owner's Manual for details and limitations. **22.** Designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **23.** Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. It does not replace safe driving. See Owner's Manual for Limitations. **24.** Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. Please see the Owner's Manual for precautions and limitations. **25.** Drivers are responsible for maintaining the correct legal speed limit at all times and should not rely solely upon the Traffic Sign Recognition system. **26.** Maximum towing capacity-braked using a Genuine Ford tow pack. Subject to State and Territory regulations. To comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and / or refer to the Owner's Manual. **27.** Factory Options can be ordered before a vehicle is manufactured at additional cost. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **28.** Factory Option that can be ordered before a vehicle is manufactured at no additional cost. **29.** Factory Options can be ordered before a vehicle is manufactured at additional cost.